

A “philosophical molecule,” hydrogen may overcome senescence and intractable diseases

Shin-ichi Hirano^{1,*}, Yusuke Ichikawa¹, Ryosuke Kurokawa¹, Yoshiyasu Takefuji², Fumitake Satoh¹

¹ MiZ Company Limited, Kamakura, Japan

² Faculty of Environment and Information Studies, Keio University, Fujisawa, Japan

*Correspondence to: Shin-ichi Hirano, DVM, PhD, s_hirano@e-miz.co.jp.

orcid: 0000-0002-8610-8922 (Shin-ichi Hirano)

Abstract

It has been revealed that the cause of senescence and diseases is associated with the reactive oxygen species “hydroxyl radicals” ($\cdot\text{OH}$). Senescence and diseases may be overcome as long as we can scavenge $\cdot\text{OH}$ mostly produced in mitochondria. It is one and only one “molecular hydrogen” (H_2) that can both penetrate into the mitochondria and scavenge the $\cdot\text{OH}$. The H_2 in the body can function in disease prevention and recovery. H_2 gas is explosive so that a safe hydrogen inhaler has to be developed for home use. We would like to advocate the great use of H_2 .

Key words: Google; Amazon; Facebook; Apple; hydroxyl radicals; mitochondria; molecular hydrogen; oxidation; reactive oxygen species; reduction; rejuvenation; senescence

doi: 10.4103/2045-9912.279983

How to cite this article: Hirano S, Ichikawa Y, Kurokawa R, Takefuji Y, Satoh F. A “philosophical molecule,” hydrogen may overcome senescence and intractable diseases. *Med Gas Res.* 2020;10(1):47-49.

INTRODUCTION

Although modern medicine has evolved so far with stalling rapidly in the 21st century, large walls hinder the development of medicine. There are many diseases which cannot be cured or healed by treatment based on “element reductionism.” The element reductionism is associated with one treatment. Many diseases are caused not by single factor abnormalities but by multiple factors with various mechanisms. These multiple factors may not have been elucidated in modern medicine. However, we have recently developed how we can break through these challenges. A key solution lies in using molecular hydrogen (H_2).

From a scientific standpoint, all activities of the molecules can be called the exchange of electrons: “oxidation” and “reduction.” From the viewpoint of the longevity of the youth, oxidation means “senescence” while reduction does “rejuvenation.” Life activity begins after the birth, and immediately the oxidation proceeds. It means that “electrons are deprived” to be oxidized. H_2 , supplying electrons, can be said that the reducing agent “rejuvenated material.” Senescence and diseases can be interpreted as oxidative phenomenon, rejuvenation and recovery as reductive one. The substance with oxidizing maximizes the phenomenon. In this paper, we propose the possibility that H_2 will overcome the senescence and intractable diseases from the viewpoint of mitochondrial oxidation and reduction.

REACTIVE OXYGEN SPECIES AND MITOCHONDRIA

What is the most potent oxidizing one? It is hydroxyl radicals ($\cdot\text{OH}$). About 90% of reactive oxygen species (ROS) are generated in the mitochondria in the cells.¹ The $\cdot\text{OH}$ have been generated in large quantities almost all within the mitochondria. Mitochondria are the organs that create the energy ATP that is necessary for our life activities.

Mitochondrial functions can be compared to the boiler of a steam locomotive. In the past, the term “boiler” as a word for locomotive originated from the fact that the boiler occupied most of the body of the locomotive. In the same way, mitochondria are energy generating organs for life activities that must be necessary for life. Locomotives run with fuel, but in that case a large amount of soot, imperfect combustion substance is generated. When energy conversion is performed, the combustion efficiency is not perfect without exception. In the mitochondria, when converting the incorporated material into energy, about a few percent of the imperfect combustion substance are produced. The imperfect combustion materials are ROS. There are a variety of ROS that can be used usefully. If they are not necessary for life, metabolic system to scavenge by the use of enzymes has been constructed. However, in the mitochondria of the generated ROS, there is only $\cdot\text{OH}$ that cannot be reduced by any means. The $\cdot\text{OH}$ is generated in the mitochondria, and can cause oxidation, senescence and diseases. Because $\cdot\text{OH}$ has the strongest oxidizing power, and reacts with nucleic acids (DNA), lipids and proteins that make up our bodies and destroy them. This vandalism is an oxidative reaction. We do not know how to handle with $\cdot\text{OH}$. Antioxidants except H_2 are not very effective especially because of the impossibility into the cell and mitochondria. We should scavenge the $\cdot\text{OH}$ that produces in the mitochondria. Is there any substance that can scavenge it? It is H_2 that can solve the vandalism of $\cdot\text{OH}$.

DEVELOPMENT OF THE EQUIPMENT TO DELIVER H_2 TO OUR BODY

We have reported that drinking of H_2 water produced in our electrolytic cell released a pioneering study to inhibit oxidative disorders in the liver of rats in 2005.² This is the first hydrogen medicine paper in Japan. Two years later, a series of papers



on H_2 began to emerge from other research institutes.³ We have reported the equipment to deliver H_2 to the living body.^{4,5}

H_2 is capable to pass through all materials, because H_2 is the smallest molecule. Only H_2 can pass through the cell membrane and also pass the mitochondrial membrane, while the other antioxidants cannot do that to scavenge the $\bullet OH$. H_2 has been reported to react with two kinds of strong ROS,^{3,6} i.e., $\bullet OH$ and peroxynitrite (ONOO-).⁷ However, it is reported that H_2 reacts with ONOO- somewhat.³ The reactivity of H_2 with $\bullet OH$ is high and quick. As observed from the production of H_2 in the body (gut),^{8,9} it is completely harmless for the body. H_2 does not interfere with the metabolic system. Rather, H_2 can scavenge the waste, $\bullet OH$ in soot that has occurred in the metabolic reaction, harmless and non-toxic. In conclusion, it is only H_2 that can penetrate into the mitochondria and can also scavenge $\bullet OH$ (Figure 1). Thereby, the H_2 in the body can function in disease prevention and recovery.¹⁰⁻²⁶ There is a possibility of longevity of youth.

GAFA AND PUBLIC ORGANIZATION IN THE US

There are many diseases which we cannot treat well. The massive fund-raising of Google, Amazon, Facebook and Apple (GAFA) is continuing to discover the cure for those diseases. Apple CEO Tim Cook said that in the future, if anybody asks what Apple's greatest contribution to humankind is "health" will be his answer.²⁷

The wasteful medical treatment is rampant in the modern therapy. The medical expense increase of the nation is spurred. As a solution, there is a "Choosing Wisely" in the United States. This is a public organization in Philadelphia of United States, the United States Internal Medicine Specialist Certification Organization Foundation (ABIM Foundation) becomes the epicenter, bundling the medical Society of the United States, to announce a wasteful medical treatment. For example, United States Clinical Oncology Society, United States gastroenterological Society, United States Psychiatric Society, United States Cardiology Association, United States

Obstetrics and Gynecology Society, United States Pediatrics Association, etc., the world's first medical Association has presented themselves with "the medical act that seems unnecessary."

How should we overcome various problems including medical problems and social problems? As mentioned in this paper, we would like to propose a safe H_2 medical use with no adverse effects. H_2 may be able to solve various problems by combining with modern treatment or alone use in the future. This proposal does not deny the modern medicine indiscriminately. Especially in acute diseases, the modern medical treatments are very effective certainly. However, there are diseases due to chronic diseases and complex factors that cannot be covered by modern medicine. Up to now there are more than 600 papers regarding the use of H_2 , including about 50 clinical trials papers. The use of H_2 is indispensable in the future, and we would like to advocate the promotion of hydrogen medicine.

Acknowledgements

The authors are grateful to Ms. Yoko Satoh and Mr. Masatsugu Saitou of MiZ Company Limited, and Dr. Goh Matsuo for their excellent advices in writing this manuscript.

Author contributions

SH, YT and FS designed and wrote the manuscript. YI and RK supported this study by giving advice and revised the manuscript. All authors read and approved the final manuscript.

Conflicts of interest

The authors have no conflicts of interests to declare.

Financial support

None.

Copyright license agreement

The Copyright License Agreement has been signed by all authors before publication.

Plagiarism check

Checked twice by iThenticate.

Peer review

Externally peer reviewed.

Open access statement

This is an open access journal, and articles are distributed under




Figure 1: "Molecular hydrogen" (H_2) is the only molecule that can both enter the mitochondria and scavenge the hydroxyl radicals.

Note: Inhalation gas was prepared by mixing of H_2 gas and air, where the H_2 gas was produced by the electrolysis of water, and the concentration was controlled under the detonation limit of the mixture of H_2 gas and air (below 10% H_2 concentration in the apparatus "Jobs- α "). $\bullet OH$: Hydroxyl radicals; PTSD: posttraumatic stress disorder.



the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

REFERENCES

- Zhang W, Hu X, Shen Q, Xing D. Mitochondria-specific drug release and reactive oxygen species burst induced by polyprodrug nanoreactors can enhance chemotherapy. *Nat Commun.* 2019;10:1704-1704.
- Yanagihara T, Arai K, Miyamae K, et al. Electrolyzed hydrogen-saturated water for drinking use elicits an antioxidative effect: a feeding test with rats. *Biosci Biotechnol Biochem.* 2005;69:1985-1987.
- Ohsawa I, Ishikawa M, Takahashi K, et al. Hydrogen acts as a therapeutic antioxidant by selectively reducing cytotoxic oxygen radicals. *Nat Med.* 2007;13:688-694.
- Kurokawa R, Seo T, Sato B, Hirano SI, Sato F. Convenient methods for ingestion of molecular hydrogen: drinking, injection, and inhalation. *Med Gas Res.* 2015;5:13.
- Kurokawa R, Hirano SI, Ichikawa Y, Matsuo G, Takefuji Y. Preventing explosions of hydrogen gas inhalers. *Med Gas Res.* 2019;9:160-162.
- Sano M, Suzuki M, Homma K, et al. Promising novel therapy with hydrogen gas for emergency and critical care medicine. *Acute Med Surg.* 2017;5:113-118.
- Setsukinai Ki, Urano Y, Kakinuma K, Majima HJ, Nagano T. Development of novel fluorescence probes that can reliably detect reactive oxygen species and distinguish specific species. *J Biol Chem.* 2003;278:3170-3175.
- Levitt MD. Production and excretion of hydrogen gas in man. *N Eng J Med.* 1969;281:122-127.
- Shin W. Medical applications of breath hydrogen measurements. *Anal Bioanal Chem.* 2014;406:3931-3939.
- Dole M, Wilson FR, Fife WP. Hyperbaric hydrogen therapy: a possible treatment for cancer. *Science.* 1975;190:152-154.
- Hirano Si, Aoki Y, Kurokawa R, et al. Hydrogen gas inhalation alleviates radiation-induced bone marrow damage in cancer patients. <https://ssrncom/abstract=3349228>. Accessed by March 8, 2019. 2019.
- Fontanari P, Badier M, Guillot C, et al. Changes in maximal performance of inspiratory and skeletal muscles during and after the 7.1-MPa Hydra 10 record human dive. *Eur J Appl Physiol.* 2000;81:325-328.
- Cai J, Kang Z, Liu WW, et al. Hydrogen therapy reduces apoptosis in neonatal hypoxia-ischemia rat model. *Neurosci Lett.* 2008;441:167-172.
- Hayashida K, Sano M, Ohsawa I, et al. Inhalation of hydrogen gas reduces infarct size in the rat model of myocardial ischemia-reperfusion injury. *Biochem Biophys Res Commun.* 2008;373:30-35.
- Xie K, Yu Y, Pei Y, et al. Protective effects of hydrogen gas on murine polymicrobial sepsis via reducing oxidative stress and HMGB1 release. *Shock.* 2010;34:90-97.
- Nakao A, Toyoda Y, Sharma P, Evans M, Guthrie N. Effectiveness of hydrogen rich water on antioxidant status of subjects with potential metabolic syndrome-an open label pilot study. *J Clin Biochem Nutr.* 2010;46:140-149.
- Nagatani K, Wada K, Takeuchi S, et al. Effect of hydrogen gas on the survival rate of mice following global cerebral ischemia. *Shock.* 2012;37:645-652.
- Xiang L, Tan JW, Huang LJ, et al. Inhalation of hydrogen gas reduces liver injury during major hepatotomy in swine. *World J Gastroenterol.* 2012;18:5197-5204.
- Yoshida A, Asanuma H, Sasaki H, et al. H(2) mediates cardioprotection via involvements of K(ATP) channels and permeability transition pores of mitochondria in dogs. *Cardiovasc Drugs Ther.* 2012;26:217-226.
- Yoritaka A, Takanashi M, Hirayama M, Nakahara T, Ohta S, Hattori N. Pilot study of H₂ therapy in Parkinson's disease: a randomized double-blind placebo-controlled trial. *Mov Disord.* 2013;28:836-839.
- Hayashida K, Sano M, Kamimura N, et al. Hydrogen inhalation during normoxic resuscitation improves neurological outcome in a rat model of cardiac arrest independently of targeted temperature management. *Circulation.* 2014;130:2173-2180.
- Homma K, Yoshida T, Yamashita M, Hayashida K, Hayashi M, Hori S. Inhalation of hydrogen gas is beneficial for preventing contrast-induced acute kidney injury in rats. *Nephron Exp Nephrol.* 2015;doi: 10.1159/000369068.
- Tamura T, Hayashida K, Sano M, et al. Feasibility and safety of hydrogen gas inhalation for post-cardiac arrest syndrome- first-in-human pilot study. *Circ J.* 2016;80:1870-1873.
- Matsuoka T, Suzuki M, Sano M, et al. Hydrogen gas inhalation inhibits progression to the "irreversible" stage of shock after severe hemorrhage in rats. *J Trauma Acute Care Surg.* 2017;83:469-475.
- Katsumata Y, Sano F, Abe T, et al. The effects of hydrogen gas inhalation on adverse left ventricular remodeling after percutaneous coronary intervention for ST-elevated myocardial infarction- first pilot study in humans. *Circ J.* 2017;81:940-947.
- Tamaki I, Hata K, Okamura Y, et al. Hydrogen flush after cold storage as a new end-ischemic ex vivo treatment for liver grafts against ischemia/reperfusion injury. *Liver Transpl.* 2018;24:1589-1602.
- CNBC. Tim Cook: Apple's greatest contribution will be 'about health'. <https://www.cnbc.com/2019/01/08/tim-cook-teases-new-apple-services-tied-to-health-care.html>. Accessed by January 8, 2019.

Received: August 26, 2019

Reviewed: August 28, 2019

Accepted: September 8, 2019